

CC: |PATIENT AGE|

HPI:

REFERRED BY:

- Self
- Failed primary screen
- GLA Employee Symptom Self-Referral Tool
- Supervisor
- Employee Health
- Other: (free text box)

SYMPTOM SCREEN (select all that apply):

- Subjective fevers/chills or T > 99.9F
- Cough (new or worse than usual)
- Sore throat (new or worse than usual)
- Shortness of breath or trouble breathing (new or worse than usual)
- Body or muscle aches (new or worse than usual)
- Diarrhea (new or worse than usual)
- Severe fatigue
- Other: (free text box)

EXPOSURE SCREEN:

- Close contact with CONFIRMED COVID19 case (within 14 days of Sx onset)
- Healthcare worker (including EMT, paramedic, etc)
- Works in a long-term care facility (CLC, CalVet, New Vista, community SNF, etc)
- Works in a group living facility (homeless shelter, board & care, DOM, New Directions, US Vets, etc)
- Works in HD clinic or infusion center

EMPLOYEE PATIENT DETAILS:

- Job description:
  - Physician
  - Nurse
  - Respiratory Therapist
  - Intermediate Care Technician
  - Other: (free text box)
- Job location: (free text box)

EMPLOYEE PATIENT EXPOSURE:

- Date of Suspected Exposure: (free text box for date)
- Patient was wearing a mask (if unsure leave unchecked)
- Aerosol generating procedure being performed at time of exposure (intubation, CPR, bronchoscopy, BiPAP, nebulizer treatment, etc)

PPE Worn By Employee Patient (select all that apply):

- Surgical mask
- N95 respirator or equivalent (PAPR, elastomeric respirator)
- Eye protection

- Face shield
- Gloves
- Gown

How long was exposure:

- Less than 5 minutes
- Greater than 5 minutes

Proximity to the Patient during exposure:

- Less than 6 feet
- Greater than 6 feet

SOCIAL HISTORY:

- Domiciled in private residence
- Undomiciled (includes living in tent, car, etc)

PMHx:

ACTIVE PROBLEMS

|ACTIVE PROB LIST-SHORT|

ALLERGIES:

|ALLERGIES|

VITALS:

T: |TEMPERATURE|

P: |PULSE|

R: |RESPIRATION|

BP: |BLOOD PRESSURE|

Pain: |PAIN|

Pulse Ox: |PULSE OXIMETRY|

PHYSICAL EXAM:

GEN: Well-appearing, No apparent distress

Resp: Normal work of breathing, speaking in complete sentences

Neuro: A&Ox3, Gait: steady, moving all extremities, no gross focal deficits

ASSESSMENT:

Patient is afebrile and with unremarkable respiratory vital signs. Patient at baseline ambulatory status, non-toxic appearing, and speaking in full sentences. Based on the limited examination there is a low suspicion for serious bacterial infection or systemic illness.

- COVID-19 suspected, met testing criteria.
- COVID-19 suspected, did not meet testing criteria.
- COVID-19 suspected, testing refused.
- COVID-19 not suspected.
- Other: (free text box)

PLAN:

Encouraged patient to continue with symptom alleviation.

Encouraged to return if has significant worsening of symptoms including chest pain, shortness of breath, or inability to care for self.

DISPOSITION:

Allowed to enter medical center

Home

ED, handoff given to ED attending: (text box for name)

EMPLOYEE RETURN TO WORK GUIDANCE:

Employees with pending COVID-19 who ARE ASYMPTOMATIC:

- If this employee was tested following an exposure, employee should remain on duty but must wear a mask for 14 days. If employee has no known exposure, employee can return to work and should follow current GLA masking policy.
- Encourage they take their temperature twice per day and report T > 99.9F.
- If they become symptomatic they must report to Employee Health (310-268-3522)

Employees pending COVID-19 test results who HAVE ANY SYMPTOMS OF COVID-19:

- Off duty minimum of 7 days from onset of symptoms.
- Return to work when all of the following criteria are met:
  - o Must be afebrile (T < 100.0F) without the use of fever-reducing medications.
  - o Improvement in respiratory symptoms (i.e., cough, shortness of breath)
  - o Negative results of an FDA Emergency Use Authorized molecular assay for COVID-19 from at least two consecutive nasopharyngeal swab specimens collected > 24 hours apart (total of two negative specimens)

Employees with a POSITIVE COVID-19 test who HAVE ANY SYMPTOMS OF COVID-19:

- Off duty minimum of 7 days from onset of symptoms.
- Return to work when all of the following criteria are met:
  - o Resolution of fever (T < 100.0F) without the use of fever-reducing medications.
  - o Improvement in respiratory symptoms (i.e., cough, shortness of breath)
  - o Negative results of an FDA Emergency Use Authorized molecular assay for COVID-19 from at least two consecutive nasopharyngeal swab specimens collected > 24 hours apart (total of two negative specimens)

Employees with a POSITIVE COVID-19 test who ARE ASYMPTOMATIC:

- Exclude from work until 10 days have passed since the date of their first positive COVID-19 diagnostic test and criteria below is met. If the patient develops symptoms at any time, they should report to Employee Health (310-268-3522).
- Return to work criteria:
  - o Negative results of an FDA Emergency Use Authorized molecular assay for COVID-19 from at least two consecutive nasopharyngeal swab specimens collected > 24 hours apart (total of two negative specimens)

Employees with a negative COVID-19 test who HAVE ANY SYMPTOMS OF COVID-19:

- If an alternative diagnosis has been made (i.e., tested positive for influenza), criteria for return to work should be based on that diagnosis. Otherwise, follow criteria below:

- IF patient has had objective fever at ANY point (T >99.9F):
  - Off duty minimum of 7 days from onset of symptoms.
  - Return to work criteria (must meet all):
    - Must be afebrile off antipyretic and have improving symptoms for 3 days.
    - Must wear mask for 14 days from onset of symptoms.
- IF patient has never had objective fever (T > 99.9F):
  - Off duty while symptomatic.
  - Return to work criteria (must meet all):
    - May return 24 hours after improvement in respiratory symptoms.
    - Must wear mask if persistently coughing.