

## WLA VA COVID/PUI Triage

### ICU level of care by MICU Team

- Severe Disease:  $\geq 6L$  O<sub>2</sub> NC **OR** impending respiratory failure/ARDS/Shock
- Any need for q1h interventions
- Need for O<sub>2</sub> by HFNC

### Step-Down (PCU) level of care by MICU Team; Until further notice, 5SD is extension of PCU/ICU

- Moderate Disease: 1-5L O<sub>2</sub> NC to maintain SaO<sub>2</sub> $\geq 94\%$  **OR** mild increased WOB at rest, moderate increased WOB w/ exertion
- Any need for q2h interventions
- Already tested + as outpatient (can escalate to ICU level if clinically indicated)
- SBP  $< 80 > 190$ ; DBP  $< 50 > 100$
- HR  $< 40 > 120$ ; RR  $< 8 > 28$ ; SpO<sub>2</sub>  $< 88\%$

### Ward level of care by GMED (continuous pulse ox only available on 3W tele capable beds)

- Mild Disease = SaO<sub>2</sub> $\geq 94\%$  on RA (or at baseline O<sub>2</sub> sat) **AND** no increased WOB at rest, mild increased WOB w/ exertion
- If patients are being admitted as PUI purely because of inability to self-quarantine (i.e. homeless, DOM) but are otherwise asymptomatic and feeling well, these patients can be admitted to non-monitored bed